



# **NORTH ASTER**



**SAFETY PRODUCTS**



**Boiler Suit**



**Lab Coat**



**Green Nitrile Flocklined Gloves**



**Household Gloves**



**Impact Resistant Gloves**



**Industrial Rubber Gloves**



**Electrical Hand Gloves**



**Stainless Steel Gloves**



**Latex Coated Gloves**



**Leather Welding Hand Gloves**



**Nitrile Coated Gloves**



**PU Coated Gloves**



**Latex Coated Gloves**



**PVC Supported Gloves**



**Cotton Hosiery Gloves**



**Cotton Knitted Gloves**



**Labour Safety Helmet**



**Face Shield**



**Safety Helmet with Ratchet- Staff**



**Welding Helmet**



**Safety Gumboot**



**Safety Gumboot**



**Reflective Vest**



**Safety Reflective Stripe Vest**



**Full Body Harness with Double Scaffolding Hook**



**Dusk Mask**



**Respiratory Mask**



**Chemical Splash Goggles**



**Safety Glasses**



**Safety Net**



**Fire Extinguisher**



**First Aid Box**



**Life Buoy Ring**



**Marine life Jacket**



**Ear Muff**



**Ear Plug**



**DUKE**

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-13
Optional	Steel Midplate/Fibre Toe

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Sporty and Fancy Look</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



**KNIGHT**

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



**MAJESTY**



**CZAR**

Characteristics	Details
Sole	Double Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate/Fibre Toe

Characteristics	Details
Sole	Double Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Orange Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate/Fibre Toe



**MAGNATE**



**EXECUTIVE (Sporty Look)**

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Suede Leather
Lining	Grey Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Flat laces
Features	<ul style="list-style-type: none"> <li>• Sporty, Fancy &amp; Executive look</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	5-12
Optional	Steel Midplate/Fibre Toe



**RANGER**

Characteristics	Details
Sole	Double Density NR/PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather OIL PULP Up Leather with Thickness 2.2- 2.4 mm
Midsole	Penetration resistance offered by a steel midsole upto 1100 newtons
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> <li>• Water Resistant &amp; Water Repellent Upper</li> <li>• Heat resistant Outsole - 300 degree upto 1 minute</li> <li>• Oil, Acid &amp; Alkali Resistant</li> <li>• Nail less construction, with Electrical Shock resistant upto 18Kv</li> <li>• Puncture resistant</li> <li>• Anti Skid/ Abrasion resistant</li> </ul>
Available Size	4-12

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Suede Leather
Lining	Grey Colour Spacer
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Flat laces
Features	<ul style="list-style-type: none"> <li>• Sporty, Fancy &amp; Executive look</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	5-12
Optional	Steel Midplate/Composite Toe



**EXECUTIVE - Brown (Sporty Look)**



**STEEL TOE GUARD**

Characteristics	Details
Toe Cap	ISI Mark Steel Toe
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Tan Brown Colour Cambrell
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	Free Size



**CHIEF**

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	5-11

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 140 joules
Upper	Synthetic Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Skin Fit
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion Resistant</li> <li>• Oil &amp; Acid Resistant</li> </ul>
Available Size	5-11
Optional	Steel Midplate



**CHMAPION**

Characteristics	Details
Sole	PVC - Injection Moulded
Toe Cap	Steel Toe upto 140 joules
Upper	Synthetic Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Skin Fit
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion Resistant</li> <li>• Oil &amp; Acid Resistant</li> </ul>
Available Size	5-11
Optional	Steel Midplate



**ACE**



### MATRON (Ladies Safety Shoes)

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Pink Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> <li>• Without Laces with Side Strap &amp; ChromeBuckle</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	2-9
Optional	Fibre Toe

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> <li>• Without Laces Slip-On type</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate/Fibre Toe

### SLIP ON (Without Lace)



### REX (Heat & Chemical Resistant)



Characteristics	Details
Sole	Vulcanized Nitrile Rubber - Direct Moulded Sole
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Heat resistant - 300 degree upto 1 minute</li> <li>• Oil, Acid &amp; Alkali Resistant</li> <li>• Nail less construction, with Electrical Shock resistant upto 18Kv</li> <li>• Anti Skid/ Abrasion resistant</li> </ul>
Available Size	5-11
Optional	Steel Midplate/Composite Toe

## MIKADO (Rigger Boot)



Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Genuine Leather OIL PULP Up Leather with Thickness 2.2- 2.4 mm
Lining	Brown Colour Cambrell
Midsole	Penetration resistance offered by a steel midsole upto 1100 newtons
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Features	<ul style="list-style-type: none"> <li>• Water Resistant &amp; Water Repellent Upper</li> <li>• Puncture resistant</li> <li>• Excellent heel support</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12

Characteristics	Details
Sole	Single Density PU
Toe Cap	Fibre Toe
Upper	Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Black Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Dual Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Electrical insulation from 11 KV to 13 KV</li> <li>• Nail Less Shoe Construction</li> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12



## ELECTRICAL



## BROWN (Low Cut)

Characteristics	Details
Sole	Single Density PU
Toe Cap	Steel Toe upto 200 joules
Upper	Brown Colour Genuine Leather with Thickness 1.8- 2.0 mm
Lining	Brown Colour Cambrell
Insole	Non-Woven Strobel Cloth
Sock	Cambrell laminated with EVA
Laces	Brown Colour Nylon Cotton Round laces
Features	<ul style="list-style-type: none"> <li>• Anti Skid/ Abrasion resistant</li> <li>• Oil &amp; Acid resistant</li> </ul>
Available Size	4-12
Optional	Steel Midplate / Composite Toe

For detailed technical specifications and further information, please contact our team.



## NORTH ASTER LIMITED

Registered Address:

2A, Agbeke Rotinwa Close, Dolphin  
Extension, Ikoyi, Lagos State, Nigeria.

Email: [info@north-aster.com](mailto:info@north-aster.com)

Contact: +234 707 365 2870 / +91 8108183053

[www.north-aster.com](http://www.north-aster.com)